

# 2023 Surgical Critical Care Continuous Certification Assessment

All References



www.absurgery.org

Below you will find the topics and their accompanying references for the 2023 Surgical Critical Care Continuous Certification Assessment. **Diplomates are neither required nor expected to read all of these references before or during the completion of the assessment.** The Key References are marked with a yellow star ★ below.

Please note that the American Board of Surgery (ABS) provides as many open-access articles to our Candidates as possible. While you are completing your assessment, Key References will have a direct link to a full-text article or an article PDF purchased by the ABS in the exam platform. Due to limited permissions, we cannot provide links to full-text articles or article PDFs on this Reference Document, as it is not hosted on a secure browser. Article links on this document will take you to the article page on PubMed. We cannot guarantee that all article links will be open access on PubMed. **To view the full-text Key References prior to beginning your assessment, please log into the ABS surgeon portal and find the “My Continuous Certification” page. Under the “Assessments” tab, click on “Reference Documents”.**

 **My Continuous Certification** [MORE INFO](#)

Ongoing Requirements **0** Assessments (Examinations) **1**

### Register for Surgery Assessment

	Reference Documents	
	Provide Digital Signature	NOT YET COMPLETED 
	Launch Assessment	NOT YET AVAILABLE 
	View Performance Report	NOT YET AVAILABLE 

## Acute Aortic and Peripheral Vascular Disease Disorders

- Aronson S, Dyke CM, Stierer KA, et al. The ECLIPSE trials: comparative studies of clevidipine to nitroglycerin, sodium nitroprusside, and nicardipine for acute hypertension treatment in cardiac surgery patients. *Anesth Analg*. 2008;107(4):1110-1121. doi:10.1213/ane.0b013e31818240db [PMID: [18806012](#)]
- ★ Gupta PK, Gupta H, Khoynezhad A. Hypertensive emergency in aortic dissection and thoracic aortic aneurysm-a review of management. *Pharmaceuticals (Basel)*. 2009;2(3):66-76. doi:10.3390/ph2030066 [PMID: [27713224](#)]
- Hagan PG, Nienaber CA, Isselbacher EM, et al. The international registry of acute aortic dissection (IRAD): new insights into an old disease. *JAMA*. 2000;283(7):897-903. doi:10.1001/jama.283.7.897 [PMID: [10685714](#)]

## Acute Disorders of the Immunosuppressed Patient

- ★ Azoulay E, Russell L, Van de Louw A, et al. Diagnosis of severe respiratory infections in immunocompromised patients. *Intensive Care Med*. 2020;46(2):298-314. doi:10.1007/s00134-019-05906-5 [PMID: [32034433](#)]

## Acute Valvular Disorders

- ★ Mann CJ, Kendall S, Lip GY; Guideline Development Group for the NICE clinical guideline for the management of atrial fibrillation. Acute management of atrial fibrillation with acute haemodynamic instability and in the postoperative setting. *Heart*. 2007;93(1):45-47. doi:10.1136/hrt.2006.099929 [PMID: [16952970](#)]
- Tarantini G, Mojoli M, Urena M, Vahanian A. Atrial fibrillation in patients undergoing transcatheter aortic valve implantation: epidemiology, timing, predictors, and outcome. *Eur Heart J*. 2017;38(17):1285-1293. doi:10.1093/eurheartj/ehw456 [PMID: [27744287](#)]

## Airway Maintenance

- ★ Klompas M, Branson R, Cawcutt K, et al. Strategies to prevent ventilator-associated pneumonia, ventilator-associated events, and nonventilator hospital-acquired pneumonia in acute-care hospitals: 2022 Update. *Infect Control Hosp Epidemiol*. 2022;43(6):687-713. doi:10.1017/ice.2022.88 [PMID: [35589091](#)]
- Lee PT, Krecko LK, Savage S, et al. Which hospital-acquired conditions matter the most in trauma? an evidence-based approach for prioritizing trauma program improvement. *J*

*Trauma Acute Care Surg.* 2022;93(4):446-452. doi:10.1097/TA.0000000000003645  
[PMID: [35393378](#)]

## Antimicrobials

- Arulkumaran N, Khpal M, Tam K, Baheerathan A, Corredor C, Singer M. Effect of antibiotic discontinuation strategies on mortality and infectious complications in critically ill septic patients: a meta-analysis and trial sequential analysis. *Crit Care Med.* 2020;48(5):757-764. doi:10.1097/CCM.0000000000004267 [PMID: [32191414](#)]
- ★ Evans L, Rhodes A, Alhazzani W, et al. Surviving sepsis campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Med.* 2021;47(11):1181-1247. doi:10.1007/s00134-021-06506-y [PMID: [34599691](#)]

## Bacterial Infections

- ★ Johnson S, Lavergne V, Skinner AM, et al. Clinical practice guideline by the Infectious Diseases Society of America (IDSA) and Society for Healthcare Epidemiology of America (SHEA): 2021 focused update guidelines on management of *Clostridioides difficile* infection in adults. *Clin Infect Dis.* 2021;73(5):755-757. doi:10.1093/cid/ciab718 [PMID: [34492699](#)]
- Mazuski JE, Tessier JM, May AK, et al. The Surgical Infection Society revised guidelines on the management of intra-abdominal infection. *Surg Infect (Larchmt).* 2017;18(1):1-76. doi:10.1089/sur.2016.261 [PMID: [28085573](#)]
- ★ Sawyer RG, Claridge JA, Nathens AB, et al. Trial of short-course antimicrobial therapy for intraabdominal infection. *N Engl J Med.* 2015;372(21):1996-2005. doi:10.1056/NEJMoa1411162 [PMID: [25992746](#)]

## Blunt Regional

- Boscà-Ramon A, Ratnam L, Cavenagh T, et al. Impact of site of occlusion in proximal splenic artery embolisation for blunt splenic trauma. *CVIR Endovasc.* 2022;5(1):43. doi:10.1186/s42155-022-00315-0 [PMID: [35986797](#)]
- El-Boghdady K, Wiles MD. Regional anaesthesia for rib fractures: too many choices, too little evidence. *Anaesthesia.* 2019;74(5):564-568. doi:10.1111/anae.14634 [PMID: [30859560](#)]
- ★ Freeman JJ, Yorkgitis BK, Haines K, et al. Vaccination after spleen embolization: a practice management guideline from the Eastern Association for the Surgery of Trauma. *Injury.* 2022;53(11):3569-3574. doi:10.1016/j.injury.2022.08.006 [PMID: [36038390](#)]

- ★ Mukherjee K, Schubl SD, Tominaga G, et al. Non-surgical management and analgesia strategies for older adults with multiple rib fractures: a systematic review, meta-analysis, and practice management guideline from the Eastern Association for the Surgery of Trauma. *J Trauma Acute Care Surg.* 2023;94(3):398-407. doi:10.1097/TA.0000000000003830 [PMID: [36730672](#)]
- Shatz DV, Romero-Steiner S, Elie CM, Holder PF, Carlone GM. Antibody responses in postsplenectomy trauma patients receiving the 23-valent pneumococcal polysaccharide vaccine at 14 versus 28 days postoperatively. *J Trauma.* 2002;53(6):1037-1042. doi:10.1097/00005373-200212000-00001 [PMID: [12478024](#)]

## ***Clostridioides difficile* Infection**

- ★ McDonald LC, Gerding DN, Johnson S, et al. Clinical practice guidelines for *Clostridium difficile* infection in adults and children: 2017 update by the Infectious Diseases Society of America (IDSA) and Society for Healthcare Epidemiology of America (SHEA). *Clin Infect Dis.* 2018;66(7):987-994. doi:10.1093/cid/ciy149 [PMID: [29562266](#)]
- Oksi J, Anttila VJ, Mattila E. Treatment of *Clostridioides (Clostridium) difficile* infection. *Ann Med.* 2020;52(1-2):12-20. doi:10.1080/07853890.2019.1701703 [PMID: [31801387](#)]
- Wilcox MH, Gerding DN, Poxton IR, et al. Bezlotoxumab for prevention of recurrent *Clostridium difficile* infection. *N Engl J Med.* 2017;376(4):305-317. doi:10.1056/NEJMoa1602615 [PMID: [28121498](#)]

## **Complications of Transplantation**

- Duffy JP, Hong JC, Farmer DG, et al. Vascular complications of orthotopic liver transplantation: experience in more than 4,200 patients. *J Am Coll Surg.* 2009;208(5):896-905. doi:10.1016/j.jamcollsurg.2008.12.032 [PMID: [19476857](#)]
- ★ Kok B, Dong V, Karvellas CJ. Graft dysfunction and management in liver transplantation. *Crit Care Clin.* 2019;35(1):117-133. doi:10.1016/j.ccc.2018.08.002 [PMID: [30447775](#)]

## **Congenital Cardiac Lesions**

- Moga MA, Manlhiot C, Marwali EM, McCrindle BW, Van Arsdell GS, Schwartz SM. Hyperglycemia after pediatric cardiac surgery: impact of age and residual lesions. *Crit Care Med.* 2011;39(2):266-272. doi:10.1097/CCM.0b013e3181fee88e [PMID: [21057314](#)]

- ★ Polito A, Thiagarajan RR, Laussen PC, et al. Association between intraoperative and early postoperative glucose levels and adverse outcomes after complex congenital heart surgery. *Circulation*. 2008;118(22):2235-2242. doi:10.1161/CIRCULATIONAHA.108.804286 [PMID: [19001022](#)]

## Endocrine

- ★ Bourcier S, Coutrot M, Kimmoun A, et al. Thyroid storm in the ICU: a retrospective multicenter study. *Crit Care Med*. 2020;48(1):83-90. doi:10.1097/CCM.0000000000004078 [PMID: [31714398](#)]

## Extracorporeal Membrane Oxygenation

- ★ Valbuena VSM, Barbaro RP, Claar D, et al. Racial bias in pulse oximetry measurement among patients about to undergo extracorporeal membrane oxygenation in 2019-2020: a retrospective cohort study. *Chest*. 2022;161(4):971-978. doi:10.1016/j.chest.2021.09.025 [PMID: [34592317](#)]

## Flail Chest, Barotrauma

- ★ Dehghan N, Nauth A, Schemitsch E, et al. Operative vs nonoperative treatment of acute unstable chest wall injuries: a randomized clinical trial. *JAMA Surg*. 2022;157(11):983-990. doi:10.1001/jamasurg.2022.4299 [PMID: [36129720](#)]

## Fungal and Viral Infections

- Ju MK, Joo DJ, Kim SJ, et al. Invasive pulmonary aspergillosis after solid organ transplantation: diagnosis and treatment based on 28 years of transplantation experience. *Transplant Proc*. 2009;41(1):375-378. doi:10.1016/j.transproceed.2008.11.006 [PMID: [19249560](#)]
- ★ Trof RJ, Beishuizen A, Debets-Ossenkopp YJ, Girbes AR, Groeneveld AB. Management of invasive pulmonary aspergillosis in non-neutropenic critically ill patients. *Intensive Care Med*. 2007;33(10):1694-1703. doi:10.1007/s00134-007-0791-z [PMID: [17646966](#)]
- ★ Yilmaz S, Sapci I, Jia X, et al. Risk factors associated with postoperative mortality among COVID-19 positive patients: results of 3027 operations and procedures. *Ann Surg*. 2022;276(6):969-974. doi:10.1097/SLA.0000000000005722 [PMID: [36124758](#)]

## Head and Spinal Cord Injury

- Butler EK, Killien EY, Groner JI, Arbabi S, Vavilala MS, Rivara FP. Optimal timing of tracheostomy in injured adolescents. *Pediatr Crit Care Med*. 2021;22(7):629-641. doi:10.1097/PCC.0000000000002681 [PMID: [34192728](#)]
- Cooper DJ, Rosenfeld JV, Murray L, et al. Decompressive craniectomy in diffuse traumatic brain injury. *N Engl J Med*. 2011;364(16):1493-1502. doi:10.1056/NEJMoa1102077 [PMID: [21434843](#)]
- Hutchinson PJ, Kolias AG, Timofeev IS, et al. Trial of decompressive craniectomy for traumatic intracranial hypertension. *N Engl J Med*. 2016;375(12):1119-1130. doi:10.1056/NEJMoa1605215 [PMID: [27602507](#)]
- ★ McLaughlin C, Darcy D, Park C, et al. Timing of tracheostomy placement among children with severe traumatic brain injury: a propensity-matched analysis. *J Trauma Acute Care Surg*. 2019;87(4):818-826. doi:10.1097/TA.0000000000002237 [PMID: [30882764](#)]
- ★ Vella MA, Crandall ML, Patel MB. Acute management of traumatic brain injury. *Surg Clin North Am*. 2017;97(5):1015-1030. doi:10.1016/j.suc.2017.06.003 [PMID: [28958355](#)]

## Hematologic Disorders

- Inaba K, Karamanos E, Lustenberger T, et al. Impact of fibrinogen levels on outcomes after acute injury in patients requiring a massive transfusion. *J Am Coll Surg*. 2013;216(2):290-297. doi:10.1016/j.jamcollsurg.2012.10.017 [PMID: [23211116](#)]
- ★ Meizoso JP, Moore EE, Pieracci FM, et al. Role of fibrinogen in trauma-induced coagulopathy. *J Am Coll Surg*. 2022;234(4):465-473. doi:10.1097/XCS.0000000000000078 [PMID: [35290265](#)]

## Hyponatremia

- ★ Adrogué HJ, Tucker BM, Madias NE. Diagnosis and management of hyponatremia: a review. *JAMA*. 2022;328(3):280-291. doi:10.1001/jama.2022.11176 [PMID: [35852524](#)]
- Hoorn EJ, Zietse R. Diagnosis and treatment of hyponatremia: compilation of the guidelines. *J Am Soc Nephrol*. 2017;28(5):1340-1349. doi:10.1681/ASN.2016101139 [PMID: [28174217](#)]

## Hypothermia

- ★ Dankiewicz J, Cronberg T, Lilja G, et al. Hypothermia versus normothermia after out-of-hospital cardiac arrest. *N Engl J Med*. 2021;384(24):2283-2294. doi:10.1056/NEJMoa2100591 [PMID: [34133859](#)]
- Nielsen N, Wetterslev J, Cronberg T, et al. Targeted temperature management at 33°C versus 36°C after cardiac arrest. *N Engl J Med*. 2013;369(23):2197-2206. doi:10.1056/NEJMoa1310519 [PMID: [24237006](#)]

## Invasive Hemodynamic Monitoring

- ★ Teboul JL, Saugel B, Cecconi M, et al. Less invasive hemodynamic monitoring in critically ill patients. *Intensive Care Med*. 2016;42(9):1350-1359. doi:10.1007/s00134-016-4375-7 [PMID: [27155605](#)]

## Limb Salvage

- Perkins ZB, Kersey AJ, White JM, et al. Impact of ischemia duration on lower limb salvage in combat casualties. *Ann Surg*. 2022;276(3):532-538. doi:10.1097/SLA.0000000000005560 [PMID: [35972512](#)]
- ★ Polcz JE, White JM, Ronaldi AE, et al. Temporary intravascular shunt use improves early limb salvage after extremity vascular injury. *J Vasc Surg*. 2021;73(4):1304-1313. doi:10.1016/j.jvs.2020.08.137 [PMID: [32987146](#)]

## Mechanical Ventilation

- ★ Fan E, Del Sorbo L, Goligher EC, et al. An official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine clinical practice guideline: mechanical ventilation in adult patients with acute respiratory distress syndrome. *Am J Respir Crit Care Med*. 2017;195(9):1253-1263. doi:10.1164/rccm.201703-0548ST [PMID: [28459336](#)]
- ★ Leatherman J. Mechanical ventilation for severe asthma. *Chest*. 2015;147(6):1671-1680. doi:10.1378/chest.14-1733 [PMID: [26033128](#)]
- Martin AR, Finlay WH. Nebulizers for drug delivery to the lungs. *Expert Opin Drug Deliv*. 2015;12(6):889-900. doi:10.1517/17425247.2015.995087 [PMID: [25534396](#)]
- National Heart, Lung, and Blood Institute PETAL Clinical Trials Network, Moss M, Huang DT, et al. Early neuromuscular blockade in the acute respiratory distress syndrome. *N Engl J Med*. 2019;380(21):1997-2008. doi:10.1056/NEJMoa1901686 [PMID: [31112383](#)]

- ★ TEAM Study Investigators and the ANZICS Clinical Trials Group, Hodgson CL, Bailey M, et al. Early active mobilization during mechanical ventilation in the ICU. *N Engl J Med*. 2022;387(19):1747-1758. doi:10.1056/NEJMoa2209083 [PMID: [36286256](#)]

## Nutritional Therapy

- ★ Preiser JC, Arabi YM, Berger MM, et al. A guide to enteral nutrition in intensive care units: 10 expert tips for the daily practice. *Crit Care*. 2021;25(1):424. doi:10.1186/s13054-021-03847-4 [PMID: [34906215](#)]

## Plasmapheresis

- ★ Bauer PR, Ostermann M, Russell L, et al. Plasma exchange in the intensive care unit: a narrative review. *Intensive Care Med*. 2022;48(10):1382-1396. doi:10.1007/s00134-022-06793-z [PMID: [35960275](#)]
- Larsen FS. Artificial liver support in acute and acute-on-chronic liver failure. *Curr Opin Crit Care*. 2019;25(2):187-191. doi:10.1097/MCC.0000000000000584 [PMID: [30672818](#)]

## Priorities in the Use of Critical Care Resources

- Barreto BB, Luz M, Rios MNO, Lopes AA, Gusmao-Flores D. The impact of intensive care unit diaries on patients' and relatives' outcomes: a systematic review and meta-analysis. *Crit Care*. 2019;23(1):411. doi:10.1186/s13054-019-2678-0 [PMID: [31842929](#)]
- ★ McIlroy PA, King RS, Garrouste-Orgeas M, Tabah A, Ramanan M. The effect of ICU diaries on psychological outcomes and quality of life of survivors of critical illness and their relatives: a systematic review and meta-analysis. *Crit Care Med*. 2019;47(2):273-279. doi:10.1097/CCM.0000000000003547 [PMID: [30431494](#)]

## Psychiatric Emergencies

- ★ Devlin JW, Skrobik Y, Gélinas C, et al. Clinical practice guidelines for the prevention and management of pain, agitation/sedation, delirium, immobility, and sleep disruption in adult patients in the ICU. *Crit Care Med*. 2018;46(9):e825-e873. doi:10.1097/CCM.0000000000003299 [PMID: [30113379](#)]

## Renal Replacement Therapy

- ★ Davenport MS, Perazella MA, Yee J, et al. Use of intravenous iodinated contrast media in patients with kidney disease: consensus statements from the American College of Radiology and the National Kidney Foundation. *Kidney Med*. 2020;2(1):85-93. doi:10.1016/j.xkme.2020.01.001 [PMID: [33015613](#)]

## Septic Shock

- Evans L, Rhodes A, Alhazzani W, et al. Executive summary: Surviving Sepsis Campaign: international guidelines for the management of sepsis and septic shock 2021. *Crit Care Med*. 2021;49(11):1974-1982. doi:10.1097/CCM.0000000000005357 [PMID: [34643578](#)]
- ★ Fujii T, Luethi N, Young PJ, et al. Effect of vitamin C, hydrocortisone, and thiamine vs hydrocortisone alone on time alive and free of vasopressor support among patients with septic shock: the VITAMINS randomized clinical trial. *JAMA*. 2020;323(5):423-431. doi:10.1001/jama.2019.22176 [PMID: [31950979](#)]

## Sickle Cell Crisis

- ★ Kavanagh PL, Fasipe TA, Wun T. Sickle cell disease: a review. *JAMA*. 2022;328(1):57-68. doi:10.1001/jama.2022.10233 [PMID: [35788790](#)]

## The Rights of Patients to Receive or Refuse Treatment

- Woolley S. Children of Jehovah's Witnesses and adolescent Jehovah's Witnesses: what are their rights?. *Arch Dis Child*. 2005;90(7):715-719. doi:10.1136/adc.2004.067843 [PMID: [15970615](#)]
- ★ Woolley S. Jehovah's Witnesses in the emergency department: what are their rights?. *Emerg Med J*. 2005;22(12):869-871. doi:10.1136/emj.2004.023382 [PMID: [16299196](#)]

## Thromboelastography

- ★ Abdelfattah K, Cripps MW. Thromboelastography and rotational thromboelastometry use in trauma. *Int J Surg*. 2016;33(Pt B):196-201. doi:10.1016/j.ijvsu.2015.09.036 [PMID: [26384835](#)]
- Da Luz LT, Nascimento B, Shankarakutty AK, Rizoli S, Adhikari NK. Effect of thromboelastography (TEG®) and rotational thromboelastometry (ROTEM®) on diagnosis of coagulopathy, transfusion guidance and mortality in trauma: descriptive systematic review. *Crit Care*. 2014;18(5):518. doi:10.1186/s13054-014-0518-9 [PMID: [25261079](#)]

## Toxemia of Pregnancy

- ★ Jeejeebhoy FM, Zelop CM, Lipman S, et al. Cardiac arrest in pregnancy: a scientific statement from the American Heart Association. *Circulation*. 2015;132(18):1747-1773. doi:10.1161/CIR.0000000000000300 [PMID: [26443610](#)]

## Vasopressor and Vasodilator Therapy

- ★ Khanna A, English SW, Wang XS, et al. Angiotensin II for the treatment of vasodilatory shock. *N Engl J Med*. 2017;377(5):419-430. doi:10.1056/NEJMoa1704154 [PMID: [28528561](#)]

## Venous Thromboembolism Prophylaxis

- ★ Pannucci CJ, Fleming KI, Varghese TK Jr, et al. Low anti-factor xa level predicts 90-day symptomatic venous thromboembolism in surgical patients receiving enoxaparin prophylaxis: a pooled analysis of eight clinical trials. *Ann Surg*. 2022;276(6):e682-e690. doi:10.1097/SLA.0000000000004589 [PMID: [33086312](#)]
- ★ Yorkgitis BK, Berndtson AE, Cross A, et al. American Association for the Surgery of Trauma/American College of Surgeons-Committee on Trauma Clinical Protocol for inpatient venous thromboembolism prophylaxis after trauma. *J Trauma Acute Care Surg*. 2022;92(3):597-604. doi:10.1097/TA.0000000000003475 [PMID: [34797813](#)]